


DIAS Japanese 25-year ReAnalysis (JRA-25)

1. IDENTIFICATION INFORMATION

Name	DIAS Japanese 25-year ReAnalysis (JRA-25)
Metadata Identifier	JRA2520230727061932-DIAS20221121113753-en

2. CONTACT

2.1 CONTACT on DATASET

Name	Climate Prediction Division, Global Environment and Marine Department, Japan Meteorological Agency
Address	1-3-4 Otemachi, Chiyoda-ku, Tokyo, 100-8122, Japan
E-mail	jra@met.kishou.go.jp

2.2 CONTACT on PROJECT

2.2.1 Data Integration and Analysis System

Name	DIAS Office
Organization	Japan Agency for Marine-Earth Science and Technology
Address	3173-25, Showa-Cho, Kanazawa-ku, Yokohama-shi, Kanagawa, 236-0001, Japan
E-mail	dias-office@diasjp.net

3. DOCUMENT AUTHOR

Name	Climate Prediction Division, Global Environment and Marine Department, Japan Meteorological Agency
Organization	Climate Prediction Division, Global Environment and Marine Department, Japan Meteorological Agency
E-mail	jra@met.kishou.go.jp

4. DATASET CREATOR

Name	The Japan Meteorological Agency (JMA) and the Central Research Institute of Electric Power Industry (CRIEPI)
E-mail	jra@met.kishou.go.jp

5. DATE OF THIS DOCUMENT

2023-07-27

6. DATE OF DATASET

creation : 2010-06-22

7. DATASET OVERVIEW

7.1 Abstract

The Japan Meteorological Agency (JMA) and the Central Research Institute of Electric Power Industry (CRIEPI) jointly conducted the Japanese 25-year Reanalysis (JRA-25) project for five years from 2001. Quality-controlled observational data from past decades and the latest numerical assimilation and prediction technology were used to produce a long-term record of the state of the atmosphere. The reanalysis covers the 26-year period from 1979 to 2004, and provides consistent and high-quality data. The JRA-25 product is widely used for research on meteorology and climatology, as well as for operational climate monitoring and seasonal forecasting.

Period reanalyzed: from Jan. 1979 to Dec. 2004 (26 years)

Global model resolution : T106L40 (model top: 0.4hPa)

Data assimilation : 3D-Var

Numerical assimilation system : JMA's operational system of April 2004.

In addition, SSM/I PW, and TOVS radiance level 1c (SSU) and 1d (HIRS, MSU) were assimilated.

7.2 Topic Category(IS019139)

climatologyMeteorologyAtmosphere

7.3 Temporal Extent

Begin Date	1979-01-01
End Date	2004-12-31

7.4 Geographic Bounding Box

North latitude bound	90
West longitude bound	-180
Eastbound longitude	180
South latitude bound	-90

7.5 Grid

7.6 Geographic Description

7.7 Keywords

7.7.1 Keywords on Dataset

Keyword Type	Keyword	Keyword thesaurus Name
theme	Climate	No_Dictionary

7.7.2 Keywords on Project

7.7.2.1 Data Integration and Analysis System

Keyword Type	Keyword	Keyword thesaurus Name
theme	DIAS > Data Integration and Analysis System	No_Dictionary

7.8 Online Resource

JRA25 Top Page : http://jra.kishou.go.jp/JRA-25/index_en.html

JRA25 Top Page (in Japanese) : http://jra.kishou.go.jp/JRA-25/index_jp.html

file download : <https://data.diasjp.net/dl/storages/filelist/dataset:140>

Quality issues (in English) : http://jra.kishou.go.jp/JRA-25/history/information_en.html

Quality issues (in Japanese) : <http://jra.kishou.go.jp/JRA-25/history/information.html>

7.9 Data Environmental Information

7.10 Distribution Information

name	version	specification
grib	no information	

8. DATA PROCESSING

8.1 Data Processing (1)

8.1.1 General Explanation of the data producer's knowledge about the lineage of a dataset

8.1.2 Data Source

Data Source Citation Name	Description of derived parameters and processing techniques used
---------------------------	--

9. DATA REMARKS

10. DATA POLICY

10.1 Data Policy by the Data Provider

(1)Users should provide user information including name, affiliation, e-mail address and purpose of data use.

(2)Users should not distribute the Products to any third party without JMA's prior consent. Use of the Products for any commercial purposes is also prohibited.

(3)The source of the Products should be duly acknowledged in scientific or technical papers, publications, press releases or other communications regarding the Products.

Example:

The datasets used for this study are from the JRA-25 long-term reanalysis cooperative research project carried out by the Japan Meteorological Agency (JMA) and the Central Research Institute of Electric Power Industry (CRIEPI).

10.2 Data Policy by the Project

10.2.1 Data Integration and Analysis System

If data provider does not have data policy, DIAS Terms of Service (<https://diasjp.net/en/terms/>) and DIAS Privacy Policy (<https://diasjp.net/en/privacy/>) apply.

If there is a conflict between DIAS Terms of Service and data provider's policy, the data provider's policy shall prevail.

11. LICENSE

12. DATA SOURCE ACKNOWLEDGEMENT

12.1 Acknowledge the Data Provider

12.2 Acknowledge the Project

12.2.1 Data Integration and Analysis System

If you plan to use this dataset for a conference presentation, paper, journal article, or report etc., please include acknowledgments referred to following examples. If the data provider describes examples of acknowledgments, include them as well.

" In this study, [Name of Dataset] provided by [Name of Data Provider] was utilized. This dataset was also collected and provided under the Data Integration and Analysis System (DIAS), which was

developed and operated by a project supported by the Ministry of Education, Culture, Sports, Science and Technology. ”

13. REFERENCES

Onogi, K., J. Tsutsui, H. Koide, M. Sakamoto, S. Kobayashi, H. Hatsushika, T. Matsumoto, N. Yamazaki, H. Kamahori, K. Takahashi, S. Kadokura, K. Wada, K. Kato, R. Oyama, T. Ose, N. Mannoji and R. Taira (2007) : The JRA-25 Reanalysis. *J. Meteor. Soc. Japan*, 85, 369-432.

Onogi, K., H. Koide, M. Sakamoto, S. Kobayashi, J. Tsutsui, H. Hatsushika, T. Matsumoto, N. Yamazaki, H. Kamahori, K. Takahashi, K. Kato, T. Ose, S. Kadokura and K. Wada 2005: JRA-25; Japanese 25-year Reanalysis --- progress and status ---. *Quart. J. R. Meteorol. Soc.*, 131, 3259-3268.

Hatsushika, H., J. Tsutsui, M. Fiorino, K. Onogi (2006) : Impact of wind profile retrievals on the analysis of tropical cyclones in the JRA-25 reanalysis. *J. Meteor. Soc. Japan*, 84, 891-905.

Takahashi, K., N. Yamazaki, H. Kamahori (2006) : Trends of Heavy Precipitation Events in Global Observation and Reanalysis Datasets. *SOLA*, 2, 96-99, doi:10.2151/sola.2006-025.

Watarai, Y., H. L. Tanaka (2007) : Characteristics of the JRA-25 Dataset from the Viewpoint of Global Energetics. *SOLA*, 3, 9-12, doi:10.2151/sola.2007-003.

Ito, A. 2006. Simulation of global terrestrial carbon cycle using the JRA-25 reanalysis as forcing data. *SOLA* 2:148-151.

Tosiyuki Nakaegwa: Reproducibility of the seasonal cycles of land-surface hydrological variables in Japanese 25-year Reanalysis, *Hydrological Research Letters*, Vol. 2, pp.56-60, (2008).