pias JRA55-JMACPS2-Delta-S14FD reanalysis-forecast combined meteorological forecing dataset

1. IDENTIFICATION INFORMATION

Name	JRA55-JMACPS2-Delta-S14FD reanalysis-forecast combined meteorological forecing dataset
Edition	version 1.0
DOI	doi:10.20783/DIAS.649 [https://doi.org/10.20783/DIAS.649]
Metadata Identifier	JRA55_JMACPS2_Delta_S14FD20230727103827-DIAS20221121113753-en

2. CONTACT

2.1 CONTACT on DATASET

Name	Toshichika Iizumi			
Organization	Institute for Agro-Environmental Sciences, National Agriculture and Foo Research Institute			
Address	3-1-3 Kannondai, Tsukuba, Ibaraki, 305-8604, Japan			
TEL	029-838-8201			
E-mail	iizumit@affrc.go.jp			

2.2 CONTACT on PROJECT

2.2.1 Data Integration and Analysis System

Name	DIAS Office		
Organization	Japan Agency for Marine-Earth Science and Technology		
Address	3173-25, Showa-Cho, Kanazawa-ku, Yokohama-shi, Kanagawa, 236-0001, Japan		
E-mail	dias-office@diasjp.net		

3. DOCUMENT AUTHOR

Name	Toshichika Iizumi			
Organization	Institute for Agro-Environmental Sciences, National Agriculture and Foo Research Institute			
E-mail	iizumit@affrc.go.jp			

4. DATASET CREATOR

Name	Toshichika Iizumi			
Organization	Institute for Agro-Environmental Sciences, National Agriculture and Foo Research Institute			
E-mail	iizumit@affrc.go.jp			

5. DATE OF THIS DOCUMENT

2023-07-27

6. DATE OF DATASET

creation : 2022-10-26

7. DATASET OVERVIEW

7.1 Abstract

The JRA55-JMACPS2-Delta-S14FD is a global 0.5° -resolution bias-corrected reanalysis-forecast combined daily meteorological forcing dataset. For the reanalysis part, JRA-55 provided by the Japan Meteorological Agency (JMA) was used after aggregating its 3-hourly values into daily values. Daily outputs from the JMA/MRI-CPS2 forecast system were used for the forecast part of the combined dataset. The reanalysis and forecast values were respectively bias-corrected and then combined on a common baseline climatology. The S14FD meteorological forcing dataset was used as the baseline. The delta method was used for the bias correction. The delta method was applied differently depending on the weather variables (additively for temperature, humidity, radiation, and pressure and multiplicatively for precipitation and wind speed).

After the bias correction, calculated relative changes in the reanalysis and forecast values, relative to each climatology, were combined onto the climatology of the meteorological forcing to produce a daily time series for three years per combining date. A 3-year period spans from January 1 of the year before the combining date (t-1) to December 31 of the year after (t+1) of the combining data. The reanalysis data are used before the combining date, and then it is assigned the forecast data for about 240 days after the combining date, and the climatology of baseline meteorological forcing after that. The delta method is used in the bias correction. The combining dates are 13 cases, 30 days apart, beginning from January 10 (denoted as 0110) to December 6th (denoted as 1206), namely 0110, 0209, 0301, 0331, 0430, 0530, 0629, 0729, 0828, 0927, 1007, 1106, and 1206. The combining date is January 10th, 2010, the three-year period of the combined data starts from January 1st, 2009 to December 31st, 2011. Similarly, if the combining date is December 6th, 2021, the 3-year period spans from January 1st, 2020 to December 31st, 2022.

The weather variables include daily mean, maximum and minimum 2m air temperature (tave2m, tmax2m, tmin2m; ° C), daily total precipitation (precsfc, mm d-1), downward shortwave and long radiation flux (dswrfsfc, dlwrfsfc; W m-2), 2m relative and specific humidity (rh2m, %; and spfh2m, kg kg-1), 10m wind speed (wind10m, m s-1), and surface pressure (pressfc, hPa).

7.2 Topic Category(IS019139)

 ${\tt climatology} {\tt Meteorology} {\tt Atmosphere}$

7.3 Temporal Extent

Begin Date

2010-01-01

End Date	2021-12-31
Temporal	Daily
Characteristics	

7.4 Geographic Bounding Box

North latitude	bound	90
West longitude	bound	-180
Eastbound longitude		180
South latitude	bound	-90

7.5 Grid

Dimension Name	Dimension Size (slice number of the dimension)	Resolution Unit
row	720	0.5 (deg)
column	360	0.5 (deg)

7.6 Geographic Description

7.7 Keywords

7.7.1 Keywords on Dataset

Keyword Type	Keyword	Keyword thesaurus Name
theme	Atmosphere > Atmospheric Temperature > Surface Air Temperature, Atmosphere > Precipitation > Precipitation Rate, Atmosphere > Atmospheric Radiation > Shortwave Radiation, Atmosphere > Atmospheric Water Vapor > Humidity, Atmosphere > Atmospheric Winds > Surface Winds > Wind Speed/ Wind Direction, Atmosphere > Atmospheric Pressure > Surface Pressure	GCMD_science

7.7.2 Keywords on Project

7.7.2.1 Data Integration and Analysis System

Keyword Type	Keyword	Keyword thesaurus Name
theme	DIAS & amp;gt; Data Integration and Analysis System	No_Dictionary

7.8 Online Resource

7.9 Data Environmental Information

7.10 Distribution Information

name	version	specification
NetCDF	4	

8. DATA PROCESSING

8.1 Data Processing (1)

8.1.1 General Explanation of the data producer's knowledge about the lineage of a dataset

In this combined meteorological forcing dataset, the JRA-55 reanalysis and the JMA/MRI-CPS2 forecast are bias-corrected for the S14FD meteorological forcing, respectively, and then combined to be a single daily time series. The reanalysis data are used before the combining date, the forecast data for about 240 days after the combining date, and the climatology of baseline meteorological forcing after that. The delta method is used in the bias correction.

8.1.2 Data Source

Data Source Citation Name	Description of derived parameters and processing
	techniques used

9. DATA REMARKS

10. DATA POLICY

10.1 Data Policy by the Data Provider

If data are used, the relevant reference(s) should be cited. For the reference(s), see the References section.

10.2 Data Policy by the Project

10.2.1 Data Integration and Analysis System

If data provider does not have data policy, DIAS Terms of Service (https://diasjp.net/en/terms/) and DIAS Privacy Policy (https://diasjp.net/en/privacy/) apply.

If there is a conflict between DIAS Terms of Service and data provider's policy, the data provider's policy shall prevail.

11. LICENSE

CC-BY 4.0 : Creative Commons Attribution 4.0 International [https:// creativecommons.org/licenses/by/4.0/]

12. DATA SOURCE ACKNOWLEDGEMENT

12.1 Acknowledge the Data Provider

If you plan to use this dataset for a conference presentation, paper, journal article, or report etc., please include acknowledgments referred to following examples. If the data provider describes examples of acknowledgments, include them as well.

"This study used the JRA55-JMACPS2-Delta-S14FD reanalysis-forecast combined meteorological forecing dataset. the dataset was distributed from the Data Integration and Analysis System (DIAS), which was developed and operated by a project supported by the Ministry of Education, Culture, Sports, Science and Technology. "

12.2 Acknowledge the Project

12.2.1 Data Integration and Analysis System

If you plan to use this dataset for a conference presentation, paper, journal article, or report etc., please include acknowledgments referred to following examples. If the data provider describes examples of acknowledgments, include them as well.

" In this study, [Name of Dataset] provided by [Name of Data Provider] was utilized. This dataset was also collected and provided under the Data Integration and Analysis System (DIAS), which was developed and operated by a project supported by the Ministry of Education, Culture, Sports, Science and Technology."

13. REFERENCES

in preparation